# DEUTA DSK10/3

## Multi-Functional Recorder





2 DEUTA DSK10/3 DEUTA DSK10/3 3



## »DEUTA DSK10/3 -

### The perfect replacement for DSK10/1«

#### The form-fit-function replacement for DSK10/1

As a specialist for retrofit products, DEUTA developed the DSK10/3 as an adequate replacement for the DSK10/1 which offers a WiFi interface in addition to the proven functionalities. Travel data and status parameters are read out via the Web Interface.

#### Short-time and long-term memory

The DSK manages and stores the received data in a short memory with maximum resolution and in a long memory with a speed-dependent resolution.

#### Data storage

The following data are stored:

- selected operating data (train data, PZB/LZB influences, travel route)
- Train driver No
- Train number
- Vehicle number
- Time and date
- Operational actions

#### DEUTA DSK10/3

Feature/Specification	
Operating voltage	5 VDC +/- 5 %
Power consumption	max. 1 W
Temperature range	-25 °C to +70 °C (operation) -40 °C or up to +85 °C (storage)
Storage medium	1 short-time memory, 1 long-time memory
Memory resolution	Short-time memory: max. resolution, Long-time memory: speed-dependent resolution
Memory capacity	32 Mbyte
Real-time clock (RTC)	+/- 4 min. / year
RTC battery	15 years data retention
Data interface	RS-232, 9600 baud
RS-232 service interface USB interface	9600 to 115200 baud Read out travel data via ADS software, Diagnostics via PZB Service software
Ethernet interface WiFi	10/100 Mbit/s Read out travel data and status parameters via Web Interface
Status/Operating indicator	Two-colour: Red, yellow
Front panel version	grey

#### **Dimensions**

Width	50.5 mm (10 HP) 19"
Height	128.4 mm (3 U) 19"
Depth	166.5 mm
Weight	approx. 0.5 kg
Protection category	IP 20
Connection	1 D-SUB 9-pin 1 D-SUB 25-pin 1 USB type B 1 Ethernet M12



DSK10/3

# DEUTA-WERKE X

Paffrather Straße 140 | 51465 Bergisch Gladbach | Germany Phone +49 (0) 2202 958-100 | Fax +49 (0) 22 02 958-145 support@deuta.de | www.deuta.com | www.icontrust.com



DEUTA-WERKE GmbH | Paffrather Str. 140 | 51465 Bergisch Gladbach | Germany | Phone +49 (0) 2202 958-100 | Fax +49 (0) 22 02 958-145 | E-Mail: support@deuta.de | www.deuta.com
Represented by the Managing Directors: Mr. Dr. Rudolf Ganz and Mr. Thomas Blau | Register court: Amtsgericht Köln, Register number: HRB Köln 67 107 | Value added tax identification number:
DE 265417448 | Pictures and articles including any other contents printed in the brochure are proprietary. The reprint, copy, distribution as well as any other actions violating the copyright are subject to prior written authorization by DEUTA-WERKE GmbH.

The information contained in this brochure are of general information purposes only representing examples of our standard products. The information contained in the brochure does not constitute any guarantee for technical data or features. DEUTA-WERKE GmbH checked the information carefully, however, it assumes no liability for the timeliness, correctness and completeness or quality of the provided information. Required special features are subject to separate individual agreement on the purchase of a product. Only variations of the pictured standard products agreed on the purchase are decisive.

The state of products pictured and described in this brochure corresponds with that on the final editing, however, DEUTA-WERKE GmbH reserves the right to make changes in the meantime.

The names DEUTA REDBOX®, IconTrust®, SelectTrust®, SignalTrust®, MouseTrust®, D-SmartView®, D-EcoView®, D-PowerView® and DEUTA RedCloud® are registered trademarks of DEUTA-WERKE GmbH. IconTrust® and SelectTrust® are patented inventions owned by DEUTA-WERKE GmbH. Without prior written consent of DEUTA-WERKE GmbH the use of trademarks and patents is not allowed.